



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

high strength concrete admixtures

high strength concrete admixtures is mainly used for concrete with high temperature, high concrete slump requirement and poor raw materials. When there are special requirements for higher concrete cover, it has low initial water reducing rate, water reducing rate gradually released in later stage and good performance. Adding polycarboxylic acid can significantly improve the retention of water reducing agent on concrete slump.

high strength concrete admixtures is a kind of artificially designed molecular structure with high proportion of active ingredients and wide range of molecular weight.

Therefore, compared with other superplasticizers, polycarboxylate superplasticizer not only has high water reducing rate, long slump and small dosage.

Polycarboxylate superplasticizer has become the representative of the new generation of superplasticizer being developed in the world due to its technical advantages.

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Development history

Polycarboxylate superplasticizer is the third generation of superplasticizer developed after the common superplasticizer represented by lignocellulose and naphthalene superplasticizer. It is a kind of water reducing agent with the most advanced technology, the widest application prospect and the best comprehensive performance.

Polycarboxylate superplasticizer is the most advanced superplasticizer in the world. Compared with the similar products at home and abroad, polycarboxylate superplasticizer has reached the international advanced level in technical performance index and cost performance.

Performance

Good working performance of concrete: the concrete prepared with polycarboxylate superplasticizer will not have obvious segregation and bleeding phenomenon even in the case of high slump, and the appearance color of concrete is uniform.

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Photo



Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com